






Accessories, disposables and software options

ulrich medical® contrast media injectors for MRI and CT



Contents

	Page
 Max 3™	MRI contrast media injector and contrast-enhanced mammography 4
 Max 2M™	MRI contrast media injector and contrast-enhanced mammography 6
 CT motion™ SPICY	CT contrast media injector 8
 CT motion™	CT contrast media injector 10
 XD 200x injectors missouri™ mississippi™ ohio M™ ohio tandem™ tennessee™	CT and MRI contrast media injectors 12
	Overview of product numbers, accessories, disposables and software options 15

Max 3™ MRI contrast media injector and contrast-enhanced mammography



Accessories	Product number	
Convenience package consisting of	XD 10500	
– Waste bin	XD 10540	
– Tray	XD 8018	
– Media rod	XD 10550	
Drip cup Packaging unit (PU) 5 items	XD 10740	
Adapter ring for small bottles PU 100 items For contrast media bottles with a bottle neck diameter of 21 mm for adapting to an Easy-Click-Cassette holder I contrast media spike	XD 10741	
Tray holder with fastening materials Contains the following parts per PU:	SP002057-ET	
– 2x tray holder		
– 2x distance sleeve		
– 4x cylinder screws TX20 ISO 14579-M4x8-A4		
Pair of holding arms	SP002887-ET	
Bottle holder multiuse	SP001612-ET	
Graduated cylinder, 100 ml, plastic	XD2000E-353-257	
Power cable extension 5,0 m	XD 2068-00	
Power supply cable		
– Power supply cable CEE 7 Europe 2.0 m	XD 2068-01	
– Power supply cable BS1363 GB 2.0 m	XD 2068-02	
– Power supply cable GB2099 CN 2.0 m	XD 2068-03	
– Power supply cable NBR14136 BR 2.5 m	XD 2068-04	
– Power supply cable SAN5164 RSA 1.5 m	XD 2068-05	
– Power supply cable NEMA5-15 US 3.0 m	XD 2068-06	
– Power supply cable SEV Type 12 CH 2.5 m	XD 2068-07	
– Power supply cable CEI 23-50 ITA 1.5 m	XD 2068-08	
– Power supply cable AS3112 AUS 2.0 m	XD 2068-09	

Max 3™ MRI contrast media injector and contrast-enhanced mammography



Disposables	Product number	
Easy-Click-Cassette Max. 3™ 24 h, PU 40 items		
– With holder s for contrast media bottles with a bottle neck diameter of 21 mm	XD 10710	
– With holder l for contrast media bottles with a bottle neck diameter of 33 mm	XD 10711	
Easy-Click-Cassette Max 3™ – flex 24 h, PU 40 items	XD 10716	
– Spike for CT (CM/NaCl), MRI (NaCl), PU 30 items	XD 10704	
– Spike for MRI (CM) – holder l With holder l for contrast media bottles with a bottle neck diameter of 33 mm, PU 30 items	XD 10705	
– Spike for MRI (CM) – holder s With holder s for contrast media bottles with a bottle neck diameter of 21 mm, PU 30 items	XD 10706	
Patient tubing PU 100 items		
– 250 cm with RFID	XD 10701	
– 320 cm with RFID	XD 10702	
– 250 cm without RFID	XD 10751	
– 320 cm without RFID	XD 10752	
Patient tubing system For the use of pre-filled contrast media syringes PU 50 items Consisting of	XD 10707	
– Patient tubing connector (XD 10703)		
– Patient tubing 320 cm (XD 2045)		
Software options	Product number	
Max 3™ software package	XD 10600	Consisting of Same patient, CM-Select and Vein-check
Same patient	XD 10630	Multiple examinations on a patient without changing patient tubing
CM-Select	XD 10640	Careful selection of a second contrast medium (two different contrast media are available simultaneously) Possibility to change the type of contrast medium on the media slots by means of NaCl rinsing (no need to change the Easy-Click-Cassette)*
Vein-check	XD 10650	Checking the correct position of the cannula in the patient

Max 2M™ MRI contrast media injector and contrast-enhanced mammography



Accessories	Product number	
Convenience package consisting of	XD 10500	
– Waste bin	XD 10540	
– Tray	XD 8018	
– Media rod	XD 10550	
Drip cup Packaging unit (PU) 5 items	XD 10740	
Adapter ring for small bottles PU 100 items For contrast media bottles with a bottle neck diameter of 21 mm for adapting to an Easy-Click-Cassette holder I contrast media spike	XD 10741	
Tray holder with fastening materials Contains the following parts per PU:	SP002057-ET	
– 2x tray holder		
– 2x distance sleeve		
– 4x cylinder screws TX20 ISO 14579-M4x8-A4		
Pair of holding arms	SP002887-ET	
Bottle holder multiuse	SP001612-ET	
Graduated cylinder, 100 ml, plastic	XD2000E-353-257	
Power cable extension 5.0 m	XD 2068-00	
Power supply cable		
– Power supply cable CEE 7 Europe 2.0 m	XD 2068-01	
– Power supply cable BS1363 GB 2.0 m	XD 2068-02	
– Power supply cable GB2099 CN 2.0 m	XD 2068-03	
– Power supply cable NBR14136 BR 2.5 m	XD 2068-04	
– Power supply cable SANSI64 RSA 1.5 m	XD 2068-05	
– Power supply cable NEMA5-15 US 3.0 m	XD 2068-06	
– Power supply cable SEV Type 12 CH 2.5 m	XD 2068-07	
– Power supply cable CEI 23-50 ITA 1.5 m	XD 2068-08	
– Power supply cable AS3112 AUS 2.0 m	XD 2068-09	







Max 2M™ MRI contrast media injector and contrast-enhanced mammography





Disposables	Product number	
Easy-Click-Cassette Max. 2M™ 24 h, PU 40 items		
– With holder s for contrast media bottles with a bottle neck diameter of 21 mm	XD 10712	
– With holder l for contrast media bottles with a bottle neck diameter of 33 mm	XD 10713	
Easy-Click-Cassette Max 2M™ – flex 24 h, PU 40 items	XD 10717	
– Spike for CT (CM/NaCl), MRI (NaCl), PU 30 items	XD 10704	
– Spike for MRI (CM) – holder l With holder l for contrast media bottles with a bottle neck diameter of 33 mm, PU 30 items	XD 10705	
– Spike for MRI (CM) – holder s With holder s for contrast media bottles with a bottle neck diameter of 21 mm, PU 30 items	XD 10706	
Patient tubing PU 100 items		
– 250 cm with RFID	XD 10701	
– 320 cm with RFID	XD 10702	
– 250 cm without RFID	XD 10751	
– 320 cm without RFID	XD 10752	
Patient tubing system For the use of pre-filled contrast media syringes PU 50 items Consisting of	XD 10707	
– Patient tubing connector (XD 10703)		
– Patient tubing 320 cm (XD 2045)		
Software options	Product number	
Max 2M™ software package	XD 10610	Consisting of Same patient and Vein-check
Same patient	XD 10630	Multiple examinations on a patient without changing patient tubing
Vein-check	XD 10650	Checking the correct position of the cannula in the patient


CT motion™ SPICY CT contrast media injector



Accessories	Product number	
Waste bin	XD 8043	
Drip cup PU 5 items	XD 10740	
NaCl rod	XD 8163	
Tray	XD 8021	
Tube insertion device	XD 8090	
Bottle holder	SP000298-ET	
Pair of holding arms for bottle holder	SP000304-ET	
Spike holder	SP000299-ET	
Power cable extension 5.0 m	XD 2068-00	
Power supply cable		
– Power supply cable CEE 7 Europe 2.0 m	XD 2068-01	
– Power supply cable BS1363 GB 2.0 m	XD 2068-02	
– Power supply cable GB2099 CN 2.0 m	XD 2068-03	
– Power supply cable NBR14136 BR 2.5 m	XD 2068-04	
– Power supply cable SANS164 RSA 1.5 m	XD 2068-05	
– Power supply cable NEMA5-15 US 3.0 m	XD 2068-06	
– Power supply cable SEV Type 12 CH 2.5 m	XD 2068-07	
– Power supply cable CEI 23-50 ITA 1.5 m	XD 2068-08	
– Power supply cable AS3112 AUS 2.0 m	XD 2068-09	
ECG grounding cable	XD 8023	








CT motion™ SPICY CT contrast media injector

Disposables	Product number	
Pump tubing 24 h, PU 80 items	XD 8151	
Patient tubing PU 100 items		
– 150 cm	XD 2035	
– 250 cm	XD 2040	
– 320 cm	XD 2045	
Software options	Product number	
Same patient	XD 8009	Multiple examinations on a patient without changing patient tubing
CM substitution	XD 8010	Manual change from contrast medium to NaCl during injection
Tandem	XD 8011	Careful selection of a second contrast medium (two different contrast media are available simultaneously) Possibility to change the type of contrast medium on the media slots by means of NaCl rinsing (no need to change the pump tubing)**
Start delay	XD 8012	Injection begins after a preset delay time
Stopwatch	XD 8013	Acoustic signal after the set time has elapsed
Elapsed time	XD 8014	Display of time elapsed since the end of injection
SYNCopen	XD 8016	CANopen connection (CAN Class 1, 3 and 4) Interface between contrast media injector and CT scanner based on international CiA standards
ulrich medical RIS/PACS Interface	XD 8158	Interface for simple and comprehensive integration of CT motion in RIS/PACS systems using the DICOM standard
CDadapt	XD 8193	Automatic lowering of the contrast media density
Barcode reader	XD 8194	Automatic media label detection via barcode reading





CT motion™ CT contrast media injector



Accessories	Product number	
Waste bin	XD 8018	
Drip cup PU 5 items	XD 10740	
NaCl rod	XD 8163	
Tray	XD 8021	
Tube insertion device	XD 8090	
Protective cap for particle filter holder	XD 8118	
Bottle holder	SP000298-ET	
Pair of holding arms for bottle holder	SP000304-ET	
Spike holder	SP000299-ET	
Power cable extension 5.0 m	XD 2068-00	
Power supply cable		
– Power supply cable CEE 7 Europe 2.0 m	XD 2068-01	
– Power supply cable BS1363 GB 2.0 m	XD 2068-02	
– Power supply cable GB2099 CN 2.0 m	XD 2068-03	
– Power supply cable NBR14136 BR 2.5 m	XD 2068-04	
– Power supply cable SANSI64 RSA 1.5 m	XD 2068-05	
– Power supply cable NEMA5-15 US 3.0 m	XD 2068-06	
– Power supply cable SEV Type 12 CH 2.5 m	XD 2068-07	
– Power supply cable CEI 23-50 ITA 1.5 m	XD 2068-08	
– Power supply cable AS3112 AUS 2.0 m	XD 2068-09	
ECG grounding cable	XD 8023	





CT motion™ CT contrast media injector

Disposables	Product number	
Pump tubing 24 h, PU 80 items	XD 8151	
Patient tubing PU 100 items		
– 150 cm	XD 2035	
– 250 cm	XD 2040	
– 320 cm	XD 2045	
Software options	Product number	
Same patient	XD 8009	Multiple examinations on a patient without changing patient tubing
CM substitution	XD 8010	Manual change from contrast medium to NaCl during injection
Tandem	XD 8011	Careful selection of a second contrast medium (two different contrast media are available simultaneously) Possibility to change the type of contrast medium on the media slots by means of NaCl rinsing (no need to change the pump tubing)**
Start delay	XD 8012	Injection begins after a preset delay time
Stopwatch	XD 8013	Acoustic signal after the set time has elapsed
Elapsed time	XD 8014	Display of time elapsed since the end of injection
SYNCopen	XD 8016	CANopen connection (CAN Class 1, 3 and 4) Interface between contrast media injector and CT scanner based on international CiA standards
ulrich medical RIS/PACS Interface	XD 8158	Interface for simple and comprehensive integration of CT motion in your RIS/PACS system using the DICOM standard



XD 200x injectors*** CT/MRI contrast media injectors



Accessories	Product number	
Waste bin set Consisting of waste bin and waste bin holder	XD 2302-SET	
Tray set Consisting of tray and tray holder	XD 2303-SET	
NaCl rod set for NaCl pouch	XD 2315-SET	
Riverside II Heater for contrast media 50-200 ml	XD 2322	
Charging station including STECA charger Only lead acid battery (only for mississippi and ohio M)	XD 2170-24/3 XD 2171-9AH	
Bottle holder KM 2 right	XD 2300	
Bottle holder KM 1 left	XD 2301	
Drip cup	XD 2304	
Key for pump flap Enables disassembly of the pump flap to make cleaning the roll pump easier	XD 2305	



XD 200x injectors*** CT/MRI contrast media injectors

Accessories	Product number	
Bottle holder NaCl swiveling	XD 2314	
Standard guide tubes		
– 20 ml, for bottles up to Ø 33 mm	XD 2200-1	
– 20 ml, for bottles up to Ø 31 mm	XD 2207	
– 10 ml, for bottles up to Ø 25 mm	XD 2208	
– 1000 ml, for bottles up to Ø 97 mm	XD 2217	
Special guide tubes		
– 50 ml, Bracco ProHance, cap closure Ø 21 mm, for bottles up to Ø 44 mm	XD 2205	
– 20 ml, DOTAREM, for bottles up to Ø 36 mm	XD 2206	
– 50 ml, MULTIHANCE, DIN for MRI, for bottles up to Ø 50 mm	XD 2209	
DIN guide tubes		
– 100 ml, DIN for bottles up to Ø 50 mm	XD 553025501	
– 150/250 ml, DIN for bottles up to Ø 67 mm	XD 553025565	
– 500 ml, DIN for bottles up to Ø 79 mm	XD 2267	
EURO guide tubes		
– 150/250 ml, EURO for bottles up to Ø 69 mm	XD 553025503	
– 500 ml, EURO for bottles up to Ø 87 mm	XD 2268	
– 125 ml, EURO for bottles up to Ø 55 mm	XD 553025569	
Power cable extension 5.0 m	XD 2068-00	
Power supply cable (only for XD 2001 XD 2002 and XD 2003)		
– Power supply cable CEE 7 Europe 2.0 m	XD 2068-01	
– Power supply cable BS1363 GB 2.0 m	XD 2068-02	
– Power supply cable GB2099 CN 2.0 m	XD 2068-03	
– Power supply cable NBR14136 BR 2.5 m	XD 2068-04	
– Power supply cable SANS164 RSA 1.5 m	XD 2068-05	
– Power supply cable NEMA5-15 US 3.0 m	XD 2068-06	
– Power supply cable SEV Type 12 CH 2.5 m	XD 2068-07	
– Power supply cable CEI 23-50 ITA 1.5 m	XD 2068-08	
– Power supply cable AS3112 AUS 2.0 m	XD 2068-09	



XD 200x injectors*** CT/MRI contrast media injectors



Disposables	Product number
Pump tubing 24 h, PU 80 items	XD 2020
	
Patient tubing PU 100 items	
– 150 cm	XD 2035
– 250 cm	XD 2040
– 320 cm	XD 2045
	

XD 200x injectors*** CT/MRI contrast media injectors

Software options	Product number	
Test bolus	XDTESTBOLE	Injection of a contrast media test bolus to determine the patient's circulation time
Same patient	XDSAMEPATIEN	Multiple examinations on a patient without changing patient tubing
Last patient	XDLASTPATIEN	Automatic filling of the tubing system with NaCl
Stopwatch	XDSTOPWATCH	Acoustic signal after the set time has elapsed
Tandem	XDTANDEM	Careful selection of a second contrast medium (only mississippi and missouri)



Overview of product numbers

Accessories		PU
ulricheasyINJECT Max 3™ and Max 2M™		
XD 10500	Convenience package, consisting of	1 item
XD 10540	- Waste bin	
XD 8018	- Tray	
XD 10550	- Media rod	
XD 10740	Drip cup	5 items
XD 10741	Adapter ring for small bottles, for contrast media bottles with a bottle neck diameter of 21 mm for adapting to an Easy-Click-Cassette holder I contrast media spike	100 items
XD2000E-353-257	Graduated cylinder, 100 ml, plastic	1 item
XD 2068-00	Power extension cable, 5.0 m	1 item
XD 2068-01	Power supply cable CEE 7 Europe 2.0 m	1 item
XD 2068-02	Power supply cable BS1363 GB 2.0 m	1 item
XD 2068-03	Power supply cable GB2099 CN 2.0 m	1 item
XD 2068-04	Power supply cable NBR14136 BR 2.5 m	1 item
XD 2068-05	Power supply cable SANS164 RSA 1.5 m	1 item
XD 2068-06	Power supply cable NEMA5-15 US 3.0 m	1 item
XD 2068-07	Power supply cable SEV Type 12 CH 2.5 m	1 item
XD 2068-08	Power supply cable CEI 23-50 ITA 1.5 m	1 item
XD 2068-09	Power supply cable AS3112 AUS 2.0 m	1 item
SP001612-ET	Bottle holder multiuse	1 item
SP002057-ET	Tray holder with fastening materials	1 item
SP002887-ET	Pair of holding arms	1 item
ulrichINJECT CT motion™ and CT motion™ SPICY		
XD 2068-00	Power extension cable, 5.0 m	1 item
XD 2068-01	Power supply cable CEE 7 Europe 2.0 m	1 item
XD 2068-02	Power supply cable BS1363 GB 2.0 m	1 item
XD 2068-03	Power supply cable GB2099 CN 2.0 m	1 item
XD 2068-04	Power supply cable NBR14136 BR 2.5 m	1 item
XD 2068-05	Power supply cable SANS164 RSA 1.5 m	1 item
XD 2068-06	Power supply cable NEMA5-15 US 3.0 m	1 item
XD 2068-07	Power supply cable SEV Type 12 CH 2.5 m	1 item
XD 2068-08	Power supply cable CEI 23-50 ITA 1.5 m	1 item
XD 2068-09	Power supply cable AS3112 AUS 2.0 m	1 item
XD 8018	Waste bin (CT motion™)	1 item
XD 8043	Waste bin (CT motion™ SPICY)	1 item
XD 8021	Tray	1 item
XD 8118	Protective cap for particle filter holder (only for CT motion™)	1 item
XD 8090	Tube insertion device	1 item
XD 8163	NaCl rod	1 item
XD 10740	Drip cup	5 items
SP000298-ET	Bottle holder	1 item
SP000304-ET	Pair of holding arms for bottle holder	1 item
SP000299-ET	Spike holder	1 item
XD 8023	ECG grounding cable	1 item

Overview of product numbers

Accessories		PU
XD 200x injectors***		
XD 2170-24/3	Charging station including STECA charger	1 item
XD 2171-9AH	Lead acid battery	1 item
XD 2200-1	Standard guide tube, 20 ml, with locking device	1 item
XD 2205	Special guide tube, 50 ml, Bracco ProHance, cap closure Ø 21 mm, for bottles up to Ø 44 mm	1 item
XD 2206	Special guide tube, 20 ml, DOTAREM, with locking device, for bottles up to Ø 36 mm	1 item
XD 2207	Standard guide tube, 20 ml, with detent for bottles up to Ø 31 mm	1 item
XD 2208	Standard guide tube, 10 ml, with detent for bottles up to Ø 25 mm	1 item
XD 2209	Special guide tube, 50 ml, MULTIHANCE, DIN for MRI, for bottles up to Ø 50 mm	1 item
XD 2217	Standard guide tube, 1000 ml, for bottles up to Ø 97 mm	1 item
XD 2267	DIN guide tube, 500 ml, DIN for bottles up to Ø 79 mm	1 item
XD 2268	EURO guide tube, 500 ml, EURO for bottles up to Ø 87 mm	1 item
XD 2300	Bottle holder, contrast media 2 right	1 item
XD 2301	Bottle holder, contrast media 1 left	1 item
XD 2302-SET	Waste bin set, consisting of waste bin and waste bin holder	1 item
XD 2303-SET	Tray set, consisting of tray and tray holder	1 item
XD 2304	Drip cup	1 item
XD 2305	Key for pump flap	1 item
XD 2314	Bottle holder NaCl, swiveling	1 item
XD 2315 set	NaCl rod set for NaCl pouch	1 item
XD 2322	Riverside II	1 item
XD 2068-00	Power extension cable, 5.0 m	1 item
XD 2068-01	Power supply cable CEE 7 Europe 2.0 m	1 item
XD 2068-02	Power supply cable BS1363 GB 2.0 m	1 item
XD 2068-03	Power supply cable GB2099 CN 2.0 m	1 item
XD 2068-04	Power supply cable NBR14136 BR 2.5 m	1 item
XD 2068-05	Power supply cable SANS164 RSA 1.5 m	1 item
XD 2068-06	Power supply cable NEMA5-15 US 3.0 m	1 item
XD 2068-07	Power supply cable SEV Type 12 CH 2.5 m	1 item
XD 2068-08	Power supply cable CEI 23-50 ITA 1.5 m	1 item
XD 2068-09	Power supply cable AS3112 AUS 2.0 m	1 item
XD 553025501	DIN guide tube, 100 ml, DIN for bottles up to Ø 50 mm	1 item
XD 553025503	EURO guide tube, 150/250 ml, EURO for bottles up to Ø 69 mm	1 item
XD 553025565	DIN guide tube, 150/250 ml, DIN for bottles up to Ø 67 mm	1 item
XD 55025569	EURO guide tube, 125 ml, EURO for bottles up to Ø 55 mm	1 item

Overview of product numbers

Disposables		PU
ulricheasyINJECT Max 3™		
XD 10710	Easy-Click-Cassette Max 3™, 24 h, with holder s for contrast media bottles with a bottle neck diameter of 21 mm	40 items
XD 10711	Easy-Click-Cassette Max 3™, 24 h, with holder l for contrast media bottles with a bottle neck diameter of 33 mm	40 items
XD 10716	Easy-Click-Cassette Max 3™ – flex, 24 h	40 items
XD 10704	Spike for CT (CM/NaCl), MRI (NaCl)	30 items
XD 10705	Spike for MRI (CM) – holder l, with holder l for contrast media bottles with a bottle neck diameter of 33 mm	30 items
XD 10706	Spike for MRI (CM) – holder s, with holder s for contrast media bottles with a bottle neck diameter of 21 mm	30 items
XD 10701	Patient tubing with RFID, 250 cm, 2 check valves	100 items
XD 10702	Patient tubing with RFID, 320 cm, 2 check valves	100 items
XD 10751	Patient tubing without RFID, 250 cm, 2 check valves	100 items
XD 10752	Patient tubing without RFID, 320 cm, 2 check valves	100 items
XD 10707	Patient tubing system, consisting of patient tubing connector (XD 10703) and patient tubing 320 cm (XD 2045) for the use of pre-filled contrast media syringes	50 items
ulricheasyINJECT Max 2M™		
XD 10712	Easy-Click-Cassette Max 2M™, 24 h, with holder s for contrast media bottles with a bottle neck diameter of 21 mm	40 items
XD 10713	Easy-Click-Cassette Max 2M™, 24 h, with holder l for contrast media bottles with a bottle neck diameter of 33 mm	40 items
XD 10717	Easy-Click-Cassette Max 2M™ – flex, 24 h	40 items
XD 10704	Spike for CT (CM/NaCl), MRI (NaCl)	30 items
XD 10705	Spike for MRI (CM) – holder l, with holder l for contrast media bottles with a bottle neck diameter of 33 mm	30 items
XD 10706	Spike for MRI (CM) – holder s, with holder s for contrast media bottles with a bottle neck diameter of 21 mm	30 items
XD 10701	Patient tubing with RFID, 250 cm, 2 check valves	100 items
XD 10702	Patient tubing with RFID, 320 cm, 2 check valves	100 items
XD 10751	Patient tubing without RFID, 250 cm, 2 check valves	100 items
XD 10752	Patient tubing without RFID, 320 cm, 2 check valves	100 items
XD 10707	Patient tubing system, consisting of patient tubing connector (XD 10703) and patient tubing 320 cm (XD 2045) for the use of pre-filled contrast media syringes	50 items
ulrichINJECT CT motion™ and CT motion™ SPICY		
XD 8151	Patient tubing, 24 h	80 items
XD 2035	Patient tubing 150 cm, 2 check valves	100 items
XD 2040	Patient tubing 250 cm, 2 check valves	100 items
XD 2045	Patient tubing 320 cm, 2 check valves	100 items
XD 200x injectors***		
XD 2020	Patient tubing, 24 h	80 items
XD 2035	Patient tubing 150 cm, 2 check valves	100 items
XD 2040	Patient tubing 250 cm, 2 check valves	100 items
XD 2045	Patient tubing 320 cm, 2 check valves	100 items

Overview of product numbers

Software options	
ulricheasyINJECT Max 3™	
XD 10600	Max 3™ software package consisting of CM-Select, Same patient and Vein-check
XD 10630	Same patient
XD 10640	CM-Select
XD 10650	Vein-check
ulricheasyINJECT Max 2M™	
XD 10610	Max 2M™ software package consisting of Same patient and Vein-check
XD 10630	Same patient
XD 10650	Vein-check
ulrichINJECT CT motion™ and CT motion™ SPICY	
XD 8009	Same patient
XD 8010	CM substitution
XD 8011	Tandem
XD 8012	Start delay
XD 8013	Stopwatch
XD 8014	Elapsed time
XD 8016	SYNCopen – CANopen Class 1, 3 and 4
XD 8158	ulrich medical RIS/PACS Interface
XD 8193	CDadapt (only for CT motion™ SPICY)
XD 8194	Barcode reader (only for CT motion™ SPICY)
XD 200x injectors***	
XDLASTPATIEN	Last patient
XDSAMEPATIEN	Same patient
XDSTOPWATCH	Stopwatch
XDTANDEM	Tandem (only mississippi and missouri)
XDTESTBOLE	Test bolus

Please send orders to:
 injectors@ulrichmedical.com
 Phone +49 731 9654-0
 Fax +49 731 9654-199



Ulrich GmbH & Co. KG
Buchbrunnenweg 12
89081 Ulm, Germany
T+49 731 9654-0
injectors@ulrichmedical.com
www.ulrichmedical.com

Ulrich medical France SAS
10, Allée Aristide Maillol
31770 Colomiers, France
T +33 5 34 50 91 02
info@ulrichmedical.fr
www.ulrichmedical.fr

Ulrich medical España S.L.
Calle Arboleda 14, Núm. ARO38
28031 Madrid, España
T +34 910 194870
info@ulrichmedical.es
www.ulrichmedical.es

The country-specific availability of articles must be taken into consideration. Ulrich Medical does not sell and distribute this product in the United States.

Supporting member of the German Society for Hospital Hygiene (Deutsche Gesellschaft für Krankenhaushygiene e. V.)